


Clamber Stack Piccolo with Ropes

Product Dimensions
 2030mm (L) 1810mm (W) 1675mm (H)
 Minimum surface area: 19.2m²
 5116mm (L) 4853mm (W)
 Free fall height: 599mm
 No impact attenuating surface required.
 Steel feet option available*
 Also available without ropes.




Steel feet

Galvanised steel feet can be fitted to the Piccolo, Midi, Midi with Deck, Midi with Slide and Sorella for a small additional charge.

Adding steel feet to these units will increase the free fall height by an additional 300mm


Clamber Stack Midi

Product Dimensions
 2510mm (L) 2295mm (W) 1800mm (H)
 Minimum surface area: 23.1m²
 6042mm (L) 5292mm (W)
 Free fall height: 900mm
 Steel feet option available*
 Bespoke rope colours available



Clamber Stack Midi with Deck

Product Dimensions
 3140mm (L) 2510mm (W) 1800mm (H)
 Minimum surface area: 27.4m²
 6544mm (L) 6140mm (W)
 Free fall height: 900mm
 Steel feet option available*
 Bespoke rope colours available



Bespoke rope colours and play panel designs available.

Clamber Stack Midi with Plastic Slide

Product Dimensions
 4417mm (L) 2720mm (W) 1800mm (H)
 Minimum surface area: 32.9m²
 8164mm (L) 6651mm (W)
 Free fall height: 900mm
 Steel feet option available*
 Bespoke rope colours available



Clamber Stack Midi with Stainless Steel Slide

Product Dimensions
 4547mm (L) 2792mm (W) 1800mm (H)
 Minimum surface area: 33.4m²
 8195mm (L) 6617mm (W)
 Free fall height: 900mm
 Steel feet option available*
 Bespoke rope colours available



Clamber Stack Sorella with Ropes


Product Dimensions
 3620mm (L) 3200mm (W) 1750mm (H)
 Minimum surface area: 28.7m²
 6619mm (L) 6203mm (W)
 Free fall height: 599mm
 No impact attenuating surface required.
 Steel feet option available*
 Also available without ropes.



Bespoke rope colours and play panel designs available.

Clamber Stack 1

Product Dimensions
 2462mm (L) 2808mm (W) 2550mm (H)
 Minimum surface area: 26.3m²
 5741mm (L) 6401mm (W)
 Free fall height: 1500mm
 Steel feet option available
 Bespoke rope colours available





Steel feet

Galvanised steel feet can be fitted to the Clamber Stack 1, 2, Fratello and Mezzo for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

Clamber Stack 2


Product Dimensions
 3965mm (L) 3051mm (W) 2700mm (H)
 Minimum surface area: 32.8m²
 6218mm (L) 7512mm (W)
 Free fall height: 1500mm
 Steel feet option available
 Bespoke rope colours available



Steel feet and bespoke rope colours available.


Clamber Stack Fratello

Product Dimensions
 5573mm (L) 3255mm (W) 3000mm (H)
 Minimum surface area: 37.1m²
 8535mm (L) 5936mm (W)
 Free fall height: 1267mm
 Steel feet option available
 Bespoke rope colours available



Clamber Stack Mezzo


Product Dimensions
 5822mm (L) 3833mm (W) 2850mm (H)
 Minimum surface area: 42.1m²
 8817mm (L) 6833mm (W)
 Free fall height: 1500mm
 Steel feet option available
 Bespoke rope colours available



Steel feet and bespoke rope colours available.

Clamber Stack 3

Product Dimensions
 5462mm (L) 3982mm (W) 2700mm (H)
 Minimum surface area: 42.1m²
 8965mm (L) 7132mm (W)
 Free fall height: 1500mm
 Steel feet option available
 Bespoke rope colours available



Clamber Stack 3 with Stainless Steel Slide


Product Dimensions
 6267mm (L) 5694mm (W) 2700mm (H)
 Minimum surface area: 54m²
 9979mm (L) 9542mm (W)
 Free fall height: 1600mm
 Steel feet option available
 Bespoke rope colours available



Steel feet and bespoke rope colours available.

Clamber Stack Passo

Product Dimensions
 6000mm (L) 5480mm (W) 2700mm (H)
 Minimum surface area: 58.6m²
 9038mm (L) 8463mm (W)
 Free fall height: 1500mm
 Steel feet option available
 Bespoke rope colours available



Steel feet




Galvanised steel feet can be fitted to the Clamber Stack 3, 3 with Slide, Passo and 4 for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.


Adding steel feet to the Clamber Stack 4 will increase the free fall height by an additional 200mm

Clamber Stack 4

Product Dimensions
 6462mm (L) 3126mm (W) 2925mm (H)
 Minimum surface area: 44.8m²
 10055mm (L) 6130mm (W)
 Free fall height: 1500mm
 Steel feet option available
 Adding steel feet increases the free fall height to 1700mm
 Bespoke rope and HDPE colours available




Bespoke rope and play panel colours available.



Clamber Stack 5

Product Dimensions
 7061mm (L) 4450mm (W) 3000mm (H)
 Minimum surface area: 60.3m²
 10302mm (L) 7672mm (W)
 Free fall height: 1800mm
 Steel feet option available
 Bespoke rope and HDPE colours available



Steel feet


Galvanised steel feet can be fitted on all Clamber Stacks for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

Bespoke rope colours and play panel designs available.



Clamber Stack 5 with Stainless Steel Slide

Product Dimensions
 8020mm (L) 6754mm (W) 3000mm (H)
 Minimum surface area: 75.3m²
 11783mm (L) 10984mm (W)
 Free fall height: 1900mm
 Steel feet option available
 Bespoke rope and HDPE colours available



Clamber Stack Figlio

Product Dimensions
 6936mm (L) 5278mm (W) 2700mm (H)
 Minimum surface area: 67.2m²
 10185mm (L) 8446mm (W)
 Free fall height: 1550mm
 Steel feet as standard
 Bespoke rope colours available

Bespoke rope colours and play panel designs available.

Clamber Stack Zio

Product Dimensions
 8535mm (L) 6141mm (W) 2835mm (H)
 Minimum surface area: 79.2m²
 12099mm (L) 9471mm (W)
 Free fall height: 1870mm
 Steel feet as standard
 Bespoke rope colours available



Clamber Stack Zio with Stainless Steel Slide

Product Dimensions
 11560mm (L) 6141mm (W) 2875mm (H)
 Minimum surface area: 90.3m²
 15187mm (L) 9471mm (W)
 Free fall height: 1900mm
 Steel feet as standard
 Bespoke rope colours available

Bespoke rope colours available.



Clamber Stack Zietta

Product Dimensions
 8627mm (L) 8233mm (W) 2700mm (H)
 Minimum surface area: 91.5m²
 11881mm (L) 11548mm (W)
 Free fall height: 1550mm
 Steel feet as standard
 Bespoke rope colours available



Steel feet

Galvanised steel feet are fitted as standard on the Clamber Stack Figlio, Zio, Zio with slide, Zietta, Zietta with slide, Madrina, Madrina with slide, Padrino and Padrino with slide.

Clamber Stack Zietta with Stainless Steel Slide


Product Dimensions
 11651mm (L) 9564mm (W) 2875mm (H)
 Minimum surface area: 103.5m²
 15449mm (L) 13114mm (W)
 Free fall height: 1900mm
 Steel feet as standard
 Bespoke rope colours available



Bespoke rope colours available.

Clamber Stack Madrina

Product Dimensions
 8628mm (L) 8304mm (W) 2835mm (H)
 Minimum surface area: 101.4m²
 12021mm (L) 11581mm (W)
 Free fall height: 1870mm
 Steel feet as standard
 Bespoke rope colours available



Clamber Stack Madrina with Stainless Steel Slide

Product Dimensions
 11651mm (L) 8304mm (W) 2875mm (H)
 Minimum surface area: 112.8m²
 15560mm (L) 11594mm (W)
 Free fall height: 1900mm
 Steel feet as standard
 Bespoke rope colours available



Bespoke rope colours available.



Clamber Stack Padrino

Product Dimensions
 9713mm (L) 8632mm (W) 2835mm (H)
 Minimum surface area: 120.4m²
 13101mm (L) 11992mm (W)
 Free fall height: 1870mm
 Steel feet as standard
 Bespoke rope colours available



Steel feet

Galvanised steel feet are fitted as standard on the Clamber Stack Figlio, Zio, Zio with slide, Zietta, Zietta with slide, Madrina, Madrina with slide, Padrino and Padrino with slide.

Bespoke rope colours available.



Clamber Stack Padrino with Stainless Steel Slide

Product Dimensions
 11610mm (L) 9710mm (W) 2875mm (H)
 Minimum surface area: 131.7m²
 15560mm (L) 13041mm (W)
 Free fall height: 1900mm
 Steel feet as standard
 Bespoke rope colours available





Steel feet

Galvanised steel feet are fitted as standard on the Clamber Stack Figlio, Zio, Zio with slide, Zietta, Zietta with slide, Madrina, Madrina with slide, Padrino and Padrino with slide.

Bespoke rope colours available.



Clamber Tower 2

Product Dimensions
 6091mm (L) 4842mm (W) 2678mm (H)
 Minimum surface area: 54.32m²
 9257mm (L) 8535mm (W)
 Free fall height: 1500mm
 Steel feet as standard
 Bespoke rope colours available



Clamber Tower 2 Castle



Product Dimensions
 6636mm (L) 4842mm (W) 3535mm (H)
 Minimum surface area: 54.54m²
 9802mm (L) 8535mm (W)
 Free fall height: 1500mm
 Steel feet as standard
 Bespoke rope colours available



Bespoke rope colours available.

Clamber Tower Mezzo

Product Dimensions
 6372mm (L) 5978mm (W) 2854mm (H)
 Minimum surface area: 63.91m²
 9366mm (L) 9477mm (W)
 Free fall height: 1500mm
 Steel feet as standard
 Bespoke rope colours available




Steel feet

Galvanised steel feet are fitted as standard on the Clamber Tower 2, Mezzo, 3, 2 Castle, 3 Double Deck Castle and 3 Triple Deck Castle.

Clamber Tower 3 Double Deck Castle



Product Dimensions
 9484mm (L) 5543mm (W) 3740mm (H)
 Minimum surface area: 78.91m²
 13081mm (L) 8467mm (W)
 Free fall height: 1500mm
 Steel feet as standard
 Bespoke rope colours available



Bespoke rope colours available.


Clamber Tower 3

Product Dimensions
 7141mm (L) 4278mm (W) 2700mm (H)
 Minimum surface area: 63.18m²
 10272mm (L) 7990mm (W)
 Free fall height: 1500mm
 Steel feet as standard
 Bespoke rope colours available



Clamber Tower 3 Triple Deck Castle

Product Dimensions
 9484mm (L) 8203mm (W) 3737mm (H)
 Minimum surface area: 91.54m²
 13081mm (L) 11129mm (W)
 Free fall height: 1500mm
 Steel feet as standard
 Bespoke rope colours available



Bespoke rope colours available.